MPX-210

User's Manual

Edition 1.61 2025/01/06



Copyright

Copyright 2018 all rights reserved. This document is copyrighted and all rights are reserved. The information in this document is subject to change without prior notice to make improvements to the products.

This document contains proprietary information and protected by copyright. No part of this document may be reproduced, copied, or translated in any form or any means without prior written permission of the manufacturer.

All trademarks and/or registered trademarks contains in this document are property of their respective owners.

Disclaimer

The company shall not be liable for any incidental or consequential damages resulting from the performance or use of this product.

The company does not issue a warranty of any kind, express or implied, including without limitation implied warranties of merchantability or fitness for a particular purpose.

The company has the right to revise the manual or include changes in the specifications of the product described within it at any time without notice and without obligation to notify any person of such revision or changes.

Trademark

All trademarks are the property of their respective holders.

Any questions please visit our website at http://www.commell.com.tw.

Packing List:

Hardware:


MPX-210 Mini-PCI Express LAN Card x1

Product Specification

General Specifica	ation
Form Factor	Mini-PCI Express with 52-pin interface
Controller	Intel® I210-AT Gigabit Ethernet
Compliance	IEEE 802.3 Ethernet interface for 1000Base-T, 100Base-TX, and 10Base-T applications (802.3, 802.3u, 802.3ab).
Transfer Rate	1000 Mb/s, 100 Mb/s, or 10 Mb/s
Dimensions (W x D)	30.00mm x 50.95mm
Support OS	Win7x86, Win7x64, Win8x86, Win8x64, Win8.1x86, Win8.1x64, Win2012, Win10x86, Win10x64


Cable kit:

MPX-210D:




Mechanical Drawing

MPX-210:



LAN Adapter:




4

Component Placement


MPX-210D:

CN_LAN1_2



(Include Bracket)

MPX-210D2:



(Include Bracket)

5

Connector Reference

Connector: CN_LAN1/2 (MPX-210D2)



Connector Type:

25-pin pitch-1.25mm SYRS12525AR003 connector

Pin	Description	Pin	Description
1	RTD10+	2	RTD10-
3	RTD11+	4	RTD11-
5	RTD12+	6	RTD12-
7	RTD13+	8	RTD13-
9	RLINK1G1-	10	RLINK1H1-
11	RACTLED1-	12	RLINK1
13	GND	14	RTD20+
15	RTD20-	16	RTD21+
17	RTD21-	18	RTD22+
19	RTD22-	20	RTD23+
21	RTD23-	22	RLINK1G2-
23	RLINK1H2-	24	RACTLED2-
25	RLINK2		

Connector: CN_LAN1 (MPX-210D)



Connector Type:

15-pin pitch-1.25mm SYRS12515AR003 connector

Pin	Description	Pin	Description
1	RTD10+	2	RTD10-
3	RTD11+	4	RTD11-
5	RTD12+	6	RTD12-
7	RTD13+	8	RTD13-
9	RLINK1G1-	10	RLINK1H1-
11	RACTLED1-	12	RLINK1
13	GND	14	RTD20+
15	RTD20-		

МРХ	-210 Use's Ma	nual							
LAN	l Connecto	r: RJ4	5_1/2					1	
Con	nector Type:							ſ	
16-р	in (8 x 2) 2.0 x	2.0 mm	header				0 1		
RJ4	5 10/100/1000N	lbps cor	nector	(MPX-2	10)		8 1		
	Pin	1	2	3	4	5	6	7	8
	Description	MDI0+	MDI0-	MDI1+	MDI2+	MDI2-	MDI1-	MDI3+	MDI3-

Contact Information

Any advice or comment about our products and service, or anything we can help you please don't hesitate to contact with us. We will do our best to support you for your products, projects and business.

Address	19F., NO.94, Sec. 1, Xintai 5th Rd., Xizhi Dist., New Taipei City 22102, Taiwan
TEL	+886-2-26963909
FAX	+886-2-26963911
Website	http://www.commell.com.tw
E-Mail	info@commell.com.tw (General Information) tech@commell.com.tw (Technical Support)

