MPX-7202

User's Manual

Edition 1.3 2015/01/13



Copyright

Copyright 2010 all rights reserved. This document is copyrighted and all rights are reserved. The information in this document is subject to change without prior notice to make improvements to the products.

This document contains proprietary information and protected by copyright. No part of this document may be reproduced, copied, or translated in any form or any means without prior written permission of the manufacturer.

All trademarks and/or registered trademarks contains in this document are property of their respective owners.

Disclaimer

The company shall not be liable for any incidental or consequential damages resulting from the performance or use of this product.

The company does not issue a warranty of any kind, express or implied, including without limitation implied warranties of merchantability or fitness for a particular purpose.

The company has the right to revise the manual or include changes in the specifications of the product described within it at any time without notice and without obligation to notify any person of such revision or changes.

Trademark

All trademarks are the property of their respective holders.

Any questions please visit our website at http://www.commell.com.tw.

Packing List:

Hardware:

MPX-7202 USB3.0 Super-Speed PCI Express mini card x1

Cable kit:





4PIN HSG to 6PIN for power (OAL4P-6)


CD Content:

Driver & User's Manual


1.0 < Product Specification>

General Specification			
Form Factor	PCI Express mini card		
Controller	NEC Chip		
Features	2 x USB 3.0 provides up to 4.8Gbps of transferring		
	rate		
	Support USB 2.0 (480M/s) /USB 1.1 (12Mb/s)		
	devices		
Power Requirement	+3.3V & +5V		
Accessories	1 x DF14 20-pin Cable (For USB3.0)		
	1 x DC input Cable (For power)		
os	Win XP, Win 7,Vista		
Dimensions (WxDxH)	30.00mm x 50.95mm x 5.5mm		

1.1 < Component Placement>



1.2 < Mechanical Drawing>



Unit: inch

1.3 < Connector Reference>

Connector: CN_USB

Type: DF14 20-pin pitch=1.25mm 1

Pin	Description	Pin	Description
1	U3T1+	2	U3T1-
3	U2T1-	4	U2T1+
5	N/C	6	U3R1+
7	U3R1-	8	+5V
9	GND	10	GND
11	U3T2+	12	U3T2-
13	U2T2-	14	U2T2+
15	N/C	16	U3R2+
17	U3R2-	18	+5V
19	GND	20	GND

Connector: CN PWR

Type: 1252 6-pin pitch=1.25nn

Pin	Description	Pin	Description
1	N/C	2	N/C
3	GND	4	GND
5	+5V	6	+5V

Contact Information

Any advice or comment about our products and service, or anything we can help you please don't hesitate to contact with us. We will do our best to support you for your products, projects and business.

Taiwan Commate Computer Inc.

19F., No.94, Sec. 1, Xintai 5th Rd., Xizhi Dist., New Taipei City

Address 22102, Taiwan

TEL +886-2-26963909

FAX +886-2-26963911

Website http://www.commell.com.tw

E-Mail info@commell.com.tw (General Information) tech@commell.com.tw (Technical Support)

Facebook https://www.facebook.com/pages/Taiwan-Commate-Computer-Inc/547993955271899

Commell is the trademark of Taiwan Commate Computer INC.

